INDEX OF SUBJECTS

PAGE

ACID, acetic, applied to rat mesenteric blood vessels has little effect on intravascular pressure, but causes transient rapid carbon accumulation . . 99
fatty, in perfusates from ultraviolet-irradiated human skin in 10 out of 21 subjects 16–48 hr after irradiation; possibly a prostaglandin . . . 93
ACTIVATION of complement and formation of prostaglandin-like activity due to interaction of serum with damaged tissue, may account for delayed phase of vascular permeability in rat . . 241
ADHESION of homologous (not autologous) leucocytes to human "reticular" peritoneal cells 1
AFLATOXIN B_1 and G_1, effects on rhesus monkey liver 47
ALBUMIN localised in glomerular capillary walls, hyaline thrombi and mesangium in severer lesions of aleutian disease of mink 119
ALEUTIAN DISEASE of mink, glomerular lesions in 119
ANAPHYLAXIS, passive cutaneous, by passive transfer of heat-stable "slow" IgG from rats actively immunised with egg albumin in Freund adjuvant . 109
ANGIOKERATOMA CORPORIS DIFFUSUM (FABRY'S DISEASE), glycolipid inclusion bodies in, probably originate from ruptured secondary lysosomes, unable to digest residual lamellar lipid. . 221
ANTIBODY(IES) to *Bordetella pertussis* injected with these organisms delays their degradation 339
eluted from human leucocytes mixed with human antinuclear sera, produce severe inflammation in mouse skin when injected subcutaneously with human leucocytes 27
heat-stable "slow" IgG, responsible for allergic response to egg albumin in rats immunised with egg albumin and Freund adjuvant 109
human antinuclear, aggravation of turpentine-induced pleurisy in rats by . 141
human antinuclear, injected subcutaneously with human leucocytes, produce severe inflammation with polymorph infiltration 27
human antinuclear, localisation in liver necroses due to carbon tetrachloride or thioacetamide 11

PAGE

ANTIBODY(IES), human IgG deposited with complement on damaged leucocytes in turpentine-induced pleurisy in rats given intravenous injection of human antinuclear antibodies 141
ANTIGEN, endogenous, in chronic inflammation 233
ANTIHISTAMINE Neo-antergan fails to suppress active or passive response of rats to egg albumin after immunisation with egg albumin in Freund adjuvant or passive immunisation with serum from such animals 109
ARTERIES, atherosclerotic lesions in mitral and aortic valves very similar to those in 205
ASCORBATE protects melanocytes against poisoning effect of hydroxyanisole in tissue culture 163
ATHEROSCLEROSIS, experimental, in rabbits, regression after cholesterol diet stopped 309
of mitral and aortic valves, pathogenesis 205
AUTO-IMMUNE LESIONS in testis common in adult guinea-pigs immunised with isologous testis and complete Freund adjuvant, less common in young animals similarly treated; incidence in young animals increased by intratesticular injection of cadmium chloride or Freund complete adjuvant or by trauma to testis 129

BACTERIAL SPECIES, *Bordetella pertussis*, degradation by macrophages delayed by admixture of *Bord. pertussis* antibody, and by sensitisation of the macrophages; killed macrophages have no effect 339
BONE(S), osteolytic hypercalcaemia in multiple myeloma, with metastatic calcification in glomerular basement-membrane 69
in spindle-celled sarcoma of breast . 286
tibia of fowl, dyschondroplasia in . 39
BOWEL, colon, tuberculosis with carcinoma 289
rectum, tumour giant cells in carcinoma of 65
BRADYKININ applied to rat mesenteric blood vessels causes intravenous carbon to accumulate there even if blood pressure kept constant . . 99
BREAST, sarcoma with rhabdomyomatous and other metaplastic elements. . 286

PAGE

BRONCHITIS, chronic, hyperplasia of bronchial muscle in 171
BRONCHUS(I): cartilaginous tumours and hamartomas of lung all arise from bronchial wall 77
hyperplasia of muscle in chronic bronchitis 171

CADMIUM CHLORIDE, intratesticular injection in young guinea-pigs immunised with isologous testis in complete Freund adjuvant increases incidence of auto-immune testicular lesions . . 129
CALCIFICATION, metastatic, of renal glomerular basement-membrane . . 69
CARBON, accumulation in response to local application of histamine, 5-hydroxytryptamine and bradykinin not due to change in intravascular pressure but to retraction of margins of endothelial cells 99
tetrachloride, localisation of intravenous human antinuclear antibodies on nuclei in areas of liver damaged by . 11
CARTILAGE, abnormal, develops from below epiphyseal plate of tibio-tarsus and replaces normal hypertrophic cartilage in tibial dyschondroplasia in fowl 39
metaplasia of fibrous tissue dependent on stresses to which fibrous tissue subjected 85
in spindle-celled sarcoma of breast . 286
CELL junctions and lysosomes, changes in liver near invasive tumour . . 227
CELLS, large ovoid, in tissue cultures of placental villi probably Hofbauer cells, spindle cells resemble villous stromal cells, epithelium-like cells probably cytotrophoblast cells, multinucleated cells derived from syncytiotrophoblast 267
large peritoneal serosal, karyolysis when mixed with homologous (not autologous) leucocytes 1
morphology and histochemistry of in tissue cultures of placental villi. . 267
reticular peritoneal, adhesion to homologous (not autologous) leucocytes . 1
CHOLESTEROL-induced atherosclerosis in rabbits regresses if cholesterol diet stopped and serum cholesterol reaches normal levels 309
CHONDROMAS, intrapulmonary and endobronchial both arise from bronchial wall 77
CLONORCHIASIS, increase in biliary mucin, but little change in composition . 185
COLOSTRUM, corpuscles in comedocarcinoma of breast, possible association with oral contraceptives . . . 66

PAGE

COMPLEMENT activation related to possible mediator of inflammation that increases vascular permeability and has SRS activity on guinea-pig ileum 241
deposited with human IgG on damaged leucocytes in turpentine-induced pleurisy in rats given intravenous injection of human antinuclear antibodies . 141
and gamma-globulin localised in glomerular capillary walls, hyaline thrombi and mesangium in mink with aleutian disease 119
sometimes fixed on nuclei of necroses in mouse liver due to carbon tetrachloride or thiocetamide when human antinuclear antibodies injected . . 11
CONNECTIVE-TISSUE diseases possible importance of antinuclear antibodies in pathogenesis of 27
CONTRACEPTIVES, oral, possible effects on histology of carcinoma of breast . 66
COTTON-WOOL pellet granulomas larger in rats sensitised with granuloma extract or LNPF plus complete Freund adjuvant. 233

DESMOSOMES unaffected near invasive Landschütz tumour in mouse liver . 227
DIGESTION of granuloma-forming organisms in macrophage cultures rapid at first, reaches 80 per cent. at 24–48 hr, then ceases; non-granuloma-forming organisms 95 per cent. digested by 24–48 hr 339
DOG, epithelial thymoma in 62
DYSCHONDROPLASIA, tibial, in fowl . . 39

EFFUSIONS, pleural, volume greatly increased in turpentine-induced pleurisy in rats by intravenous injection of human antinuclear antibodies . . 141
EGG ALBUMIN in Freund adjuvant, rats immunised with develop acute allergic inflammation when egg albumin injected into foot subsequently . . 109
ELECTRON-MICROSCOPE STUDY of early lesions in renal medulla of rabbit due to ethyleneimine 329
ETHYLENEIMINE, early changes in rabbit renal medulla produced by . . 329

FABRY'S DISEASE, cytoplasmic lipid inclusions in 221
FIBRIN, localised in severer renal lesions in mink with aleutian disease . . 119
FIBRINOGEN present in some mitral and aortic valve atherosclerotic deposits . 205
FIBROUS TISSUE, metaplasia to cartilage related to stresses to which subjected. 85

PAGE

FLUKES, *Clonorchis sinensis* infestation increases mucin secretion in rats, rabbits, guinea-pigs and man, but no change in composition, except that sialomucin appears in guinea-pigs . 185
FLUORESCENT ANTIBODY TEST localises chorionic gonadotrophin to syncytiotrophoblast and cytotrophoblast of placental villi; but in tissue cultures of placental villi to cytotrophoblast only 277
FOWL, tibial dyschondroplasia in . . 39
FREUND ADJUVANT, complete, intratesticular injection of increases incidence of auto-immune lesions in testis of young guinea-pigs immunised with isologous testis in complete Freund adjuvant . 129

GAMMA-GLOBULIN, mink, localised with complement in glomerular capillary walls, hyaline thrombi and the mesangium in mink with aleutian disease; occasionally also albumin and fibrin . 119
GIANT CELLS, tumour, in carcinoma of rectum 65
GLANDS, biliary, deep, in interlobular and extrahepatic ducts of guinea-pig, only in extrahepatic ducts of rats, mice, rabbits, cynomolgus monkeys and man 185
GLOMERULUS, renal, metastatic calcification in basement-membrane . . . 69
GONADOTROPHIN, chorionic, localisation in placenta and tissue cultures of human trophoblast 277
-secreting carcinomas of bronchus do not show presence of placental lactogen, and therefore do not show evidence of placental or pituitary differentiation 59
GLUTATHIONE protects melanocytes against poisoning effect of hydroxyanisole in tissue culture 163
GLYCYLGLYCINE protects melanocytes against poisoning effect of hydroxyanisole in tissue culture . . . 163
GRAFTS, primary orthotopic allografts of skin excite biphasic increased vascular permeability response in graft bed 319
GRANULOMA extract plus complete Freund adjuvant sensitises rats to subsequent implantation of cotton-wool pellets 233
-inducing organisms, degradation by macrophages 339
GUINEA-PIG(S), distribution of biliary glands in 185
immunological barrier in testis . . 129

HAEMORRHAGE in livers of rhesus monkeys poisoned with aflatoxin . . . 47
HAMARTOMAS of lung, in whatever position, are neoplasms arising in bronchial wall 77
HEALING with removal of abnormal cartilage in tibial dyschondroplasia in fowl, but distortion remains . . . 39
HEART, method for demonstrating early myocardial injury 71
HISTAMINE applied to rat mesenteric blood vessels causes intravenous carbon to accumulate there even if intravascular pressure kept constant . . . 99
in perfusate from ultraviolet-irradiated human skin 8–24 hr after irradiation, not so frequently at 24–48 hr . . 93
HISTOCHEMISTRY of biliary mucins in normal animals and man, and in both in clonorchiasis 185
of cells in tissue culture of placental villi 267
4-HYDROXYANISOLE, mechanism of pigment-cell toxicity produced by; 2- and 3-hydroxyanisole non-toxic . . 163
5-HYDROXYTRYPTAMINE antagonist promethazine fails to inhibit active or passive response to egg albumin in rats sensitised to it 109
applied to rat mesenteric blood vessels causes intravenous carbon to accumulate there, even if intravascular pressure kept constant 99
HYPERPLASIA of bronchial muscle in chronic bronchitis 171

IMMUNOFLUORESCENCE METHOD fails to show presence of human placental lactogen in gonadotrophin-secreting carcinoma of lung 59
INFLAMMATION, acute allergic, in rat . 109
acute, role of complement and a prostaglandin-like substance in . . . 241
chronic, degradation of killed organisms in 339
chronic, evidence for endogenous antigen in 233
of skin produced by exposure to ultraviolet light 93

KARYOLYSIS of large peritoneal serosal cells mixed with homologous, but not with autologous leucocytes . . . 1
KIDNEY, medulla of rabbit, ethyleneimine damages medullary blood vessels, with rupture of endothelium, platelet or red cell thrombi, cap of amorphous cytoplasm on luminal part of collecting tubule cells, all within 2–4 hr . 329
metastatic calcification of glomerular basement-membrane . . . 69

PAGE

KIDNEY, rabbit, arrest of medullary circulation 8 or 9 hr after parenteral ethyleneimine 329
KININS, no significant difference in concentration or frequency in perfusate from control skin and ultraviolet-irradiated skin 93

LARYNX, chemodectoma 259
LEUCOCYTES, human, injected subcutaneously into mice with human antinuclear antibodies produce severe inflammation and polymorph infiltration 27
human, reactions with homologous peritoneal macrophages, none with autologous 1
polymorphonuclear, numbers in exudate in turpentine-induced pleurisy in rats greatly increased by intravenous injection of human antinuclear antibodies 141
LIPID absent from tricuspid and pulmonary valves, commonly commences in mitral and aortic valves in 3rd decade, increasing with age, mainly extracellular 205
cytoplasmic inclusion bodies in angiokeratoma corporis diffusum . . 221
peroxidation by free radicals produced by tyrosinase oxidation of 4-hydroxyanisole probable cause of 4-hydroxyanisole toxicity 163
LIPOPROTEIN, low-density, in mitral and aortic valve atherosclerotic deposits . 205
LIPO-PROTEINOSIS, alveolar, in SPF rats after inhalation of silica 293
LIVER lysosomes and cell junctions, changes near invasive tumour 227
mouse, necroses due to carbon tetrachloride or thioacetamide, localisation of human antinuclear antibodies on nuclei in 11
mouse, necroses due to carbon tetrachloride or thioacetamide not altered in extent or severity by injection of human antinuclear antibodies, even when complement fixed on nuclei 11
rhesus monkey, effect of aflatoxins on liver 47
LNPF plus complete Freund adjuvant sensitises rats to subsequent implantation of cotton-wool pellets . . 233
LOCALISATION of mononuclear macrophage antecedent cells at site of inflammation 333
LUNG, cartilage-containing tumours all of same origin from bronchial walls; differences are due to site of origin . 77

PAGE

LYMPHOCYTES, peritoneal, more resistant to X-rays than blood lymphocytes, which are smaller 333
LYSOSOME(S), liver, and cell junctions, changes near invasive tumour . . 227
ruptured secondary, partial digestion of globoside by leads to lipid inclusions in Fabry's disease 221

MACROPHAGE(S), antecedents in blood highly resistant to 1200–1500 R X-rays, precursors in bone marrow much more sensitive 333
cultures, degradation of killed organisms in parallels that in granulomata . . 339
human peritoneal, reactions with homologous leucocytes, none with autologous leucocytes 1
MAN, distribution of biliary glands in . 185
MATRIX in compressed and rotated fibrous tissue different at poles and sides of fibrous tissue cells 85
MEGALOCYTES in livers of rhesus monkeys poisoned with aflatoxin 47
MELANOCYTES take up hydroxyanisole into melanosomes in tissue culture, undergo toxic changes 163
MENINGIOMA, osteolytic 57
METAPLASIA of fibrous tissue to cartilage, dependent on stresses to which fibrous tissue subjected 85
METHODS, HISTOLOGICAL, for demonstrating early myocardial injury . . 71
MICE, distribution of biliary glands in . 185
injection of human antinuclear antibodies with carbon tetrachloride or thioacetamide leads to attachment to liver nuclei in necrotic area . . 11
MINK, glomerular lesions in aleutian disease of 119
MITOCHONDRIA, chemically modified homologous renal tubular, used with Freund complete adjuvant to produce immune-complex nephritis in neonatally thymectomised and non-thymectomised rats 157
MONKEY, cynomolgus (*Macaca irus*), distribution of biliary glands in . . 185
rhesus (*Macaca mulatta*) effects of aflatoxin on liver 47
MUCINS, biliary, chiefly acid mucins, both carboxylated and sulphated, neutral mucin in goblet cells . . . 185
sites of production in intra- and extrahepatic bile ducts in rats, mice, guinea-pigs, rabbits and cynomolgus monkeys and in man with no liver disease 185
MUCOVISCIDOSIS, cellular metachromasia in fibroblasts in tissue culture . . 251

PAGE

MYELOMA, multiple, with metastatic calcification of glomerular basement-membrane 69
MYOCARDIUM, method for demonstrating early injury 71

NECROSES in liver due to carbon tetrachloride or thiocetamide, localisation of human antinuclear antibodies in . 11
in livers of rhesus monkeys poisoned with aflatoxin 47
NEPHRITIS, immune-complex, in neonatally thymectomised and non-thymectomised rats 157
NEUROFIBROMA, storiform, in core of naevocellular naevi 199
NITROGEN MUSTARD inhibits active or passive response to egg albumin in rats sensitised to it 109
NORADRENALINE secretion by laryngeal chemodectoma 259
NUCLEI, muscle, increased in chronic bronchitis, evidence of hyperplasia bronchial muscle 171

OSSIFICATION, enchondral, delayed in epiphyses in tibial dyschondroplasia in fowl, with weakening and distortion of bone 39
OSTEOCLAST-like elements in spindle-celled sarcoma of breast 286

PAIN, laryngeal, in case of laryngeal chemodectoma 259
PARA-SUBSTITUTED phenols and catechols have toxic effect on melanocytes in tissue culture similar to that of 4(para)-hydroxyanisole 163
PARENTS of children with mucoviscidosis, fibroblasts in tissue culture have normal degree of metachromasia . 251
PELIOSIS HEPATIS in 75-yr-old man treated for rheumatoid arthritis with anabolic steroids 283
PERMEABILITY, vascular, increased, delayed phase in rat may be due to complement activation and development of prostaglandin-like activity. 241
vascular, increased in primary allograft response in rat 319
PIGMENT CELL, toxicity of hydroxyanisole to 163
PLACENTA, immunofluorescent localisation of chorionic gonadotrophin in . . 277
villi, cells in tissue culture of . . 267
PLATELET antigens, no evidence of presence in lesions of mitral and aortic valve atherosclerosis 205

PAGE

PLEURISY, turpentine-induced, aggravation in rats by "homogeneous" and "speckled" antinuclear antibodies . 141
POINT-COUNTING METHOD for area and thus volume of bronchial muscle . . 171
PROCEEDINGS OF THE SOCIETY . . . Pi
PROSTAGLANDIN(S)-like activity develops in plasma after addition of a variety of irritants, is not histamine, 5-HT or acetylcholine, not quite like bradykinin; not found in complement-deficient plasma 241
possibly present in perfusate from some ultraviolet-irradiated human skins . 93
PROTEIN deficiency had no deleterious effect on liver injury produced by aflatoxin poisoning in rhesus monkeys . . 47
PROTEINURIA equal in immune-complex nephritis in neonatal non-thymectomised and thymectomised rats . . 157

RABBIT(S), cholesterol-induced atherosclerosis regresses if cholesterol diet stopped and serum cholesterol reaches normal level 309
renal medulla, lesions due to ethyleneimine 329
RADICALS, free, probably produced when black guinea-pig skin treated with 4-hydroxyanisole 163
RAT(S), acute allergic inflammation in . 109
aggravation of turpentine-induced pleurisy by intravenous injection of human antinuclear antibodies . . 141
distribution of biliary glands in . . 185
increased vascular permeability in primary allograft response . . . 319
mediator of delayed phase of increased vascular permeability in . . . 241
mesenteric blood vessels, effect of vasoactive substances 99
neonatally thymectomised and non-thymectomised, immune-complex nephritis in 157
SPF develop alveolar lipo-proteinosis, not silicosis, after inhalation of silica . 293
REACTIONS between peritoneal cells and homologous leucocytes cell-mediated, not due to serum factors, or associated with them 1
REVIEWS OF BOOKS—
The human placenta: its shape, form, origin, and development (Richard Torpin) 75
Crotalaria spectabilis: the pulmonary hypertension plant (J. M. Kay and Donald Heath) 75
Practical blood transfusion (Douglas W. Huestis, Joseph R. Bove and Shirley Busch) 76

PAGE

REVIEWS OF BOOKS—
Cancer of the uterus and ovary (prepared by Russell W. Cumley and others) . 203
Atlas of human electron microscopy (Rubén P. Laguens and César L. A. Gómez Dumm) 203
The reticulo-endothelial system (A. E. Stuart) 204
RHABDOMYOMA-like elements in spindle-celled sarcoma of breast . . . 286

SARCOMA of breast with metaplastic elements 286
SILICA, inhalation by SPF rats leads to alveolar lipo-proteinosis, not to silicosis 293
SILICOSIS not produced in SPF rats inhaling quartz 293
SKIN, allografts, primary orthotopic, excite biphasic increased vascular permeability response in graft bed; delayed phase preliminary to rejection . . 319
mouse, severe inflammation in produced by subcutaneous injection of human antinuclear antibodies and human leucocytes 27
naevocellular naevi with storiform neurofibroma in core 199
SODIUM DIETHYL - DITHIOCARBAMATE protects melanocytes against poisoning effect of hydroxyanisole in tissue culture 163
SPERMATOZOA, antibodies to in guinea-pigs immunised with isologous testis in Freund complete adjuvant . . 129
SRS-A, inhibitor of release of (Hetrazan) fails to inhibit active or passive response to injected egg albumin injected into animals sensitised to it . 109
STORIFORM NEUROFIBROMA in core of naevocellular naevi, probably of neuro-ectodermal origin 199
STRESSES to which fibrous tissue subjected, if compression and rotation, lead to cartilage formation; if shear forces added, to synovial joint formation . 85

TENSILE STRENGTH of union of primary orthotopic allografts of skin with host: curve exponential, continuing to rise after rejection obvious . . . 319
TESTIS, of guinea-pig, auto-immune lesions in most adults immunised with isologous testis and complete Freund adjuvant, much less common in young animals similarly treated . . . 129
THIOACETAMIDE, localisation of intravenous human antinuclear antibodies in nuclei in areas of liver damaged by . . 11

PAGE

THYMECTOMY, neonatal, does not increase severity or alter morphology of immune-complex nephritis in rats. . 157
THYMOMA, epithelial, in dog . . . 62
TIBIO-TARSUS of fowl involved in tibial dyschondroplasia; usually in proximal part; sometimes tarso-metatarsus involved 39
TISSUE CULTURE(S), blood and peritoneal macrophages and lymphocytes, effects of X-irradiation 333
of fibroblasts shows increased metachromasia in those from cases of mucoviscidosis, but this may be due to tissue-culture conditions . . . 251
of placental villi, nature of cells in. . 267
TISSUE-CULTURE METHODS for demonstrating toxicity of hydroxyanisole to pigment cells 163
TOLERANCE induced to granuloma extract and LNPF by neonatal injection of these substances, state transferable to irradiated normal rats with bone-marrow and lymphoid cells . . 233
TRAUMA to testis increases incidence of auto-immune lesions in young guinea-pigs immunised with isologous testis and complete Freund adjuvant . . 129
TROPHOBLAST, immunofluorescent localisation of chorionic gonadotrophin in tissue cultures of human . . . 277
TUBERCULOSIS of colon, with carcinoma . 289
TUMOUR, invasive, changes in liver lysosomes and cell junctions near . . 227
TUMOURS, ANIMAL, Landschütz tumour in mice implanted in liver, changes in liver lysosomes and cell junctions near invasive tumour 227
not produced in rhesus monkeys poisoned with aflatoxin . . . 47
thymoma, epithelial, in dog . . 62
TUMOURS, HUMAN, carcinoma of breast, histology, possible effect of oral contraceptives 66
carcinomas of bronchus that secrete gonadotrophin do not produce human placental lactogen 59
carcinoma of colon with tuberculosis . 289
carcinoma of rectum, tumour giant cells in 65
cartilage-containing tumours of lung, whether intrapulmonary hamartomas or chondromas, or endobronchial hamartomas or chondromas, all arise from bronchial wall . . . 77
laryngeal chemodectoma, hormone-secreting 259
osteolytic meningioma . . . 57

PAGE

TUMOURS, HUMAN, sarcoma of breast with rhabdomyomatous and other metaplastic elements 286
storiform neurofibroma in core of naevocellular naevi 199
TURPENTINE-induced pleurisy in rats, aggravation by "homogeneous" and "speckled" antinuclear antibodies . 141

UBIQUINONE-6 protects melanocytes against poisoning effect of hydroxyanisole in tissue culture . . . 163

PAGE

VALVES, CARDIAC, mitral and aortic valve atherosclerosis, deposition of low-density lipoprotein and occasionally fibrinogen in lesions, possibly α_2M and γM globulins in elderly . . 205

X-RAYS, macrophage antecedents in blood resistant to 1200–1500 R, their precursor in bone marrow much more sensitive. 333

INDEX OF AUTHORS

PAGE

BAIN, A. D., REED, G. B., MCCRAE, W. M., and SCOTT, F. M., cellular metachromasia in cystic fibrosis . . . 251
BARABAS, A. Z., BIGGART, J. D., and LANNIGAN, R., the induction of autologous immune-complex nephritis in neonatally thymectomised rats . . 157
BARSON, A. J., and KIRK, R. S., colonic tuberculosis with carcinoma . . 289
BATESON, E. M., histogenesis of intrapulmonary and endobronchial hamartomas and chondromas (cartilage-containing tumours): a hypothesis . 77
BECK, J. S., and HUGHES, P., in-vivo nuclear localisation of human antinuclear antibodies in mice with carbon tetrachloride- and thiocetamide-induced hepatic necrosis 11
BECK, J. S., and HUGHES, P., studies on the pathogenic action of human antinuclear antibodies: inflammatory skin reactions in mice to immune complexes formed *in vitro* from human antinuclear antibodies and human leucocytes 27
BECK, J. S., PORTEOUS, I. B., and ULLYOT, JOAN L., gonadotrophin-secreting bronchial carcinoma: aberrant endocrine activity or trophoblastic differentiation? 59
BEDNÁŘ, B., storiform neurofibroma in the core of naevocellular naevi . . 199
BIGGART, J. D., BARABAS, A. Z., and LANNIGAN, R., the induction of autologous immune-complex nephritis in neonatally thymectomised rats . . 157
BIRD, C. C., a breast sarcoma containing rhabdomyosarcomatous and other metaplastic elements . . . 286
BUTTERWORTH, S. T. G., changes in liver lysosomes and cell junctions close to an invasive tumour 227

CHANG, A. R., and PENMAN, H. G., tumour giant cells in rectal carcinoma . . 65
CHIN, W., and ROSS, LIVIA, metastatic calcification of renal glomerular basement-membrane 69
CHOU, S. T., and GIBSON, J. B., the histochemistry of biliary mucins and the changes caused by infestation with *Clonorchis sinensis* 185
CONNOR, R. C. R., the demonstration of recent myocardial injury: a simple method suitable for routine use. . 71
CUMMINGS, R., and LYKKE, A. W. J., increased vascular permeability in the primary allograft response in the skin of the rat 319

DAVIES, D. J., the early changes produced in the rabbit renal medulla by ethyleneimine: electron-microscope and circulatory studies 329
DAYAL, Y., DEO, M. G., and RAMALINGASWAMI, V., aflatoxins and liver injury in the rhesus monkey . . 47
DEO, M. G., DAYAL, Y., and RAMALINGASWAMI, V., aflatoxins and liver injury in the rhesus monkey . . 47

ELVES, M. W., some observations on the life history of the macrophage . . 333

FELDBUSH, T. L., and HICHENS, M., an acute allergic inflammation in the rat 109
FOX, H., and KHARKONGOR, F. N., immunofluorescent localisation of chorionic gonadotrophin in the placenta and in tissue cultures of human trophoblast 277
FOX, H., and KHARKONGOR, F. N., morphology and enzyme histochemistry of cells derived from placental villi in tissue culture 267

GIBSON, J. B., and CHOU, S. T., the histochemistry of biliary mucins and the changes caused by infestation with *Clonorchis sinensis* 185
GIROUD, J. P., and WILLOUGHBY, D. A., the interrelations of complement and a prostaglandin-like substance in acute inflammation 241
GREAVES, M. W., and SØNDERGAARD, J., pharmacological studies in inflammation due to exposure to ultraviolet radiation 93
GUPTA, P. P., TANDON, H. D., and RAMALINGASWAMI, V., experimental atherosclerosis in rabbits with special reference to reversal 309
GWYNN, R., and TALERMAN, A., epithelial thymoma in a dog 62

HEARD, B. E., and HOSSAIN, SURAIYA, hyperplasia of bronchial muscle in chronic bronchitis 171

PAGE

HEPPLESTON, A. G., WRIGHT, N. A., and STEWART, J. A., experimental alveolar lipo-proteinosis following the inhalation of silica 293
HICHENS, M., and FELDBUSH, T. L., an acute allergic inflammation in the rat 109
HOSSAIN, SURAIYA, and HEARD, B. E., hyperplasia of bronchial muscle in chronic bronchitis 171
HUGHES, P., and BECK, J. S., in-vivo nuclear localisation of human antinuclear antibodies in mice with carbon tetrachloride- and thioacetamide-induced hepatic necrosis . . 11
HUGHES, P., and BECK, J. S., studies on the pathogenic action of human antinuclear antibodies: inflammatory skin reactions in mice to immune complexes formed *in vitro* from human antinuclear antibodies and human leucocytes 27
HUGHES, P., and ROWELL, N. R., aggravation of turpentine-induced pleurisy in rats by "homogeneous" and "speckled" antinuclear antibodies . 141
HUSAINI, T. A., an unusual osteolytic meningioma 57

JOHNSON, A. G., WALTON, K. W., and WILLIAMSON, N., the pathogenesis of atherosclerosis of the mitral and aortic valves 205
JOHNSON, M. H., an immunological barrier in the guinea-pig testis . . 129

KARSTAD, L., PAN, I. C., and TSAI, K. S., glomerulonephritis in aleutian disease of mink: histological and immunofluorescence studies 119
KHARKONGOR, F. N., and FOX, H., immunofluorescent localisation of chorionic gonadotrophin in the placenta and in tissue cultures of human trophoblast 277
KHARKONGOR, F. N., and FOX, H., morphology and enzyme histochemistry of cells derived from placental villi in tissue culture 267
KIRK, R. S., and BARSON, A. J., colonic tuberculosis with carcinoma . . 289

LANNIGAN, R., BARABAS, A. Z., and BIGGART, J. D., the induction of autologous immune-complex nephritis in neonatally thymectomised rats . . 157
LITTLE, KITTY, and SCAPINELLI, R., observations on the mechanically induced differentiation of cartilage from fibrous connective tissue 85
LYKKE, A. W. J., and CUMMINGS, R., increased vascular permeability in the primary allograft response in the skin of the rat 319

MCCRAE, W. M., REED, G. B., BAIN, A. D., and SCOTT, F. M., cellular metachromasia in cystic fibrosis . . . 251
MCGIVEN, A. R., peliosis hepatis: case report and review of pathogenesis . 283
VAN MULLEM, P. J., and RUITER, M., fine structure of the skin in angiokeratoma corporis diffusum (Fabry's disease) . 221

NORTHOVER, ANN M., and NORTHOVER, B. J., the effect of vaso-active substances on rat mesenteric blood vessels 99
NORTHOVER, B. J., and NORTHOVER, ANN M., the effect of vaso-active substances on rat mesenteric blood vessels. . 99

PAN, I. C., TSAI, K. S., and KARSTAD, L., glomerulonephritis in aleutian disease of mink: histological and immunofluorescence studies 119
PENMAN, H. G., the effect of oral contraceptives on the histology of carcinoma of the breast 66
PENMAN, H. G., and CHANG, A. R., tumour giant cells in rectal carcinoma 65
PORTEOUS, I. B., BECK, J. S., and ULLYOT, JOAN L., gonadotrophin-secreting bronchial carcinoma: aberrant endocrine activity or trophoblastic differentiation? 59

RAMALINGASWAMI, V., DEO, M. G., and DAYAL, Y., aflatoxins and liver injury in the rhesus monkey . . . 47
RAMALINGASWAMI, V., GUPTA, P. P., and TANDON, H. D., experimental atherosclerosis in rabbits with special reference to reversal 309
REED, G. B., BAIN, A. D., MCCRAE, W. M., and SCOTT, F. M., cellular metachromasia in cystic fibrosis . . . 251
REICHHOLD, NICOLETTE, SPECTOR, W. G., and RYAN, G. B., degradation of granuloma-inducing micro-organisms by macrophages 339
RILEY, P. A., mechanism of pigment-cell toxicity produced by hydroxyanisole . 163
ROSS, LIVIA, and CHIN, W., metastatic calcification of renal glomerular basement-membrane 69
ROWELL, N. R., and HUGHES, P., aggravation of turpentine-induced pleurisy in rats by "homogeneous" and "speckled" antinuclear antibodies. 141

PAGE

RUITER, M., and VAN MULLEM, P. J., fine structure of the skin in angiokeratoma corporis diffusum (Fabry's disease) . 221
RYAN, G. B., SPECTOR, W. G., and REICHHOLD, NICOLETTE, degradation of granuloma-inducing micro-organisms by macrophages . . . 339
RYAN, G. B., and WILLOUGHBY, D. A., evidence for a possible endogenous antigen in chronic inflammation . 233

SCAPINELLI, R., and LITTLE, KITTY, observations on the mechanically induced differentiation of cartilage from fibrous connective tissue 85
SCOTT, F. M., REED, G. B., BAIN, A. D., and MCCRAE, W. M., cellular metachromasia in cystic fibrosis . . 251
SILLER, W. G., tibial dyschondroplasia in the fowl. 39
SØNDERGAARD, J., and GREAVES, M. W., pharmacological studies in inflammation due to exposure to ultraviolet radiation 93
SPECTOR, W. G., REICHHOLD, NICOLETTE, and RYAN, G. B., degradation of granuloma-inducing micro-organisms by macrophages 339
STEWART, J. A., HEPPLESTON, A. G., and WRIGHT, N. A., experimental alveolar lipo-proteinosis following the inhalation of silica 293
STUART, A. E., reactions of primary human peritoneal cell cultures with homologous and autologous leucocytes 1
TALERMAN, A., and GWYNN, R., epithelial thymoma in a dog 62

PAGE

TANDON, H. D., GUPTA, P. P., and RAMALINGASWAMI, V., experimental atherosclerosis in rabbits with special reference to reversal . . . 309
TONER, P. G., and VETTERS, J. M., chemodectoma of larynx . . . 259
TSAI, K. S., PAN, I. C., and KARSTAD, L., glomerulonephritis in aleutian disease of mink: histological and immunofluorescence studies 119

ULLYOT, JOAN L., BECK, J. S., and PORTEOUS, I. B., gonadotrophin-secreting bronchial carcinoma: aberrant endocrine activity or trophoblastic differentiation? 59

VETTERS, J. M., and TONER, P. G., chemodectoma of larynx 259

WALTON, K. W., WILLIAMSON, N., and JOHNSON, A. G., the pathogenesis of atherosclerosis of the mitral and aortic valves 205
WILLIAMSON, N., WALTON, K. W., and JOHNSON, A. G., the pathogenesis of atherosclerosis of the mitral and aortic valves 205
WILLOUGHBY, D. A., and GIROUD, J. P., the interrelations of complement and a prostaglandin-like substance in acute inflammation 241
WILLOUGHBY, D. A., and RYAN, G. B., evidence for a possible endogenous antigen in chronic inflammation . 233
WRIGHT, N. A., HEPPLESTON, A. G., and STEWART, J. A., experimental alveolar lipo-proteinosis following the inhalation of silica 293